(ii) Foliar application of Zinc sulphate in areag where *soils* have the zine deficiency.

(iii) Top-dressing with Ammonium Chloride or incubated urea (equal quantities of moist soil with urea kept overnight before use) in areas where suspected sulphide injury is likeiy to occur and basal application of Calcium Oxide at the rate of 200 Kg. per acre in areag where iron toxicity is noticed.

The precise estimates on the loss of paddy due to yellowing syndrome during the last 3 years are not available.

Safety measares in nigh rise buildings

748. SHRI VI. GOPAlLSAMY: SHRI L. GANESAN;

Will the Minister of URBAN DEVELOPMENT be pleased to state:

(a) whether any inspection of safety measures has been conducted in the high rise buildings in New Delhi/ Delhi by any high level Committee;

(b) if so, what are the findings of the Committee; what ig the number of violation of safety measures that have come to the notice of the Committee;

(c) what action hag been taken against owners of the concerned buildings where violation of safety measures has been noticed; and

(d) whether any such violation of safety measures have come to the notipe of the committee in the case of the New Delhi House, Barakhamba Road?

THE MINISTER OF STATE IN THE'MINISTRY OF URBAN DEVELOPMENT (SHRI DALBIR SINGH): (a) Yes, Sir.

(b) The Fire Advisory Committee constituted on 7-6-1983 by the Lt. Governor of Delhi recommended enforcement f unified building bye-laws for Delhi which contain fire safety measures as prescribed in the National Building Code. The unified building bye-laws were promulgated w.e.f. 23-6-1983. Wherever, there have been any violations/deviations in the laws in force, the Committee hag drawn attention to these and made specific recommendations for their removal.

(c) Owners have been directed by-the DDA to comply with the recommendations of the Fire Advisory Committee by the concerned authorities.

(d) Yes, Sir. The committee had inspected the New Delhi House, Barakhamba Road and a report with regard to observations and recommendations of fire protection measures was forwarded to the promotors ot the building for implementation by the Chief Fire Officer.

Amount payable to M|D.M:C. by Akbar, Meridien and Bharat Hotels

749. SHRI V. GOPALSAMY-
DR. SHYAM SUNDAR MOHAPATRA:

Will the Minister of URBAN DEVELOPMENT be pleased to state-

(a) what is the amount of money payable as lease or licence fee by Akbar (ITDC), Meridien, Bharat Hotels to the New Delhi Municipal Committee;

(b) what are the terms and conditions of lease/licence in each case; and

(c) what steps are being taken to collect the outstanding dues?

THE MINISTER OF STATE IN THE MINISTRY OF URBAN DEVELOPMENT (SHRI DALBIR SINGH): (a) The NDMC have reported that the amount payable to them by the Akbar hotel upto 31-12-1985 on the basis of the Budget Estimates furnished by the hotel amounts to Rs. 46,59,378.79. This amount is subject to final assessment by the Com-mittee after inspection and reconci-